


Biodesign®

OTOLOGIC REPAIR GRAFT

Harvest *results*,
not patient tissue¹



Reliable Closure

Biodesign® material remodels into natural host tissue with an overall success rate of 91% across published literature¹⁻⁹ with no statistically significant difference in audiometric results when compared to temporalis fascia.^{1, 10}

Excellent Handling


Biodesign® material is easy to manipulate, allowing for improved surgical precision during graft placement.¹

Time Saving

The Biodesign® Otolgic Repair Graft reduces the need to harvest autologous tissue, significantly decreasing intraoperative time.¹

Available product sizes

Shown at actual size.




Biodesign® Otologic Repair Graft

Order Number	Reference Part Number	Size cm	Nominal Thickness mm
G44840	ENT-OTO-0.4-0.6	0.4, 0.6	0.25
G44839	ENT-OTO-0.6-0.9	0.6, 0.9	0.25
G44451	ENT-OTO-2.5X2.5	2.5 × 2.5	0.25
G44452	ENT-OTO-5X5	5.0 × 5.0	0.25

References

1. D'Eredità R. Porcine small intestinal submucosa (SIS) myringoplasty in children: a randomized controlled study. *Int J Pediatr Otorhinolaryngol.* 2015;79(7):1085-1089.
2. Cass ND, Hebbe AL, Meier MR, et al. Pediatric primary tympanoplasty outcomes with autologous and non-autologous grafts. *Otol Neurotol.* 2022;43(1):94-100.
3. Chen CK, Hsieh LC. Clinical outcome of exclusive endoscopic tympanoplasty with porcine small intestine submucosa in 72 patients. *Clin Otolaryngol.* 2020;45(6):938-943.
4. Barron C, Lukens J, Niermeyer W, et al. Investigation of novel grafts in use for pediatric tympanoplasty. *Ann Otol Rhinol Laryngol.* 2019;128(12):1111-1115.
5. Redaelli De Zinis LO, Berlucchi M, Nassif N. Double-handed endoscopic myringoplasty with a holding system in children: preliminary observations. *Int J Pediatr Otorhinolaryngol.* 2017;96:127-130.
6. James AL. Endoscope or microscope-guided pediatric tympanoplasty? Comparison of grafting technique and outcome. *Laryngoscope.* 2017;127(11):2659-2664.
7. Ranguis SC, Leonard CG, James AL. Prospective comparison of pediatric endoscopic lateral graft and interlay tympanoplasty. *Otol Neurotol.* 2021;42(6):867-875.
8. Wang N, Isaacson G. Collagen matrix as a replacement for Gelfilm for post-tympanostomy tube myringoplasty. *Int J Pediatr Otorhinolaryngol.* 2020;135:110136.
9. Yawn RJ, Dedmon MM, O'Connell BP, et al. Tympanic membrane perforation repair using porcine small intestinal submucosal grafting. *Otol Neurotol.* 2018;39(5):e332-e335.
10. Dontu P, Shaigany K, Eisenman DJ. Anatomic and audiometric outcomes of porcine intestinal submucosa compared to autologous fascia for tympanic membrane repair. Poster presented at: Combined Otolaryngology Spring Meetings, COSM 2022; April 27 – May 1, 2022; Dallas, TX.


® indicates U.S. trademark registration. All trademarks and/or images are the property of their respective owners or holders.



Biodesign®

OTOLOGIC REPAIR GRAFT

For more detailed product information, including the Instructions for Use, which contains the indication statement, contraindications, precautions, and potential complications, visit www.everismedical.com.



Everis Medical

555 East Eliza St, Ste. A
Schoolcraft, MI 49087 USA
t: 888 902 2239
www.everismedical.com

Printed in U.S.A.
DOC-6567 Rev 1
Copyright © 2025 Everis